

Summary of the CovaWound™ survey



154
patients




12 sites in
England




From November 2017
to February 2019

Setting




■ Hospital **138**
■ Wound Care Clinics **16**

User type



■ Hospital Nurse **87**
■ District Nurse **2**
■ Tissue Viability Nurse **39**
■ Research Nurse **1**

Wound aetiology




■ Burns **23**
■ Cavity wounds **7**
■ Diabetic foot ulcers **10**
■ Leg ulcers **12**
■ Pressure ulcers **31**
■ Surgical wounds **3**
■ Wound type unrecorded **68**

Dressing type



143

CovaWound™
Silicone Foam



CovaWound™
Silicone Foam (Bordered)



CovaWound™
Hydrocolloid




11

CovaWound™
Hydrocolloid (Bordered)

98% of clinical users rated **CovaWound™** as **excellent, very good** or **good** when compared to their usual dressing.




Comparisons



of Patients, when rating **overall comfort**, rated **Covawound™** as the **same** or **better** than their comparison dressing.



of Patients, when rating **pain levels on dressing removal**, rated **CovaWound™** as the **same** or **better** than their comparison dressing.



of Clinicians, when rating **ease of dressing removal**, rated **CovaWound™** as the **same** or **better** than their comparison dressing.



of Clinicians, when rating **condition of the surrounding skin**, rated **CovaWound™** as the **same** or **better** than their comparison dressing.

Brands Compared

- ALLEVYN Gentle
- Mepilex®
- KerraFoam®
- Biatain® Silicone
- Aquacel® Foam
- DuoDERM®

